

## DIMENSIONS

No. Of Cores	Nominal Cross Sectional Area mm <sup>2</sup>	Nominal Thickness Of Insulation mm	Nominal Overall Diameter mm	Nominal Weight Kg/Km
1	1.5	0.7	6.6	60
1	2.5	0.7	7	75
1	4	0.7	7.6	90
1	6	0.7	6.5	115
1	10	0.7	7.6	165
1	16	0.7	8.6	230
1	25	0.9	11.1	340
1	35	0.9	12	440
1	50	1	12.5	570
1	70	1.1	15	795
1	95	1.1	17	1055
1	120	1.3	17.65	1315
1	150	1.4	21	1600
1	185	1.6	23	1975
1	240	1.7	24.4	2525
1	300	1.8	26	3150
2	1.5	0.7	12	125
2	2.5	0.7	12.1	155
2	4	0.7	13	195
2	6	0.7	14	295
2	10	0.7	14	390
2	16	0.7	16.2	560
2	25	0.9	19	850
2	35	0.9	21.4	1010
2	50	1	24.8	1364
2	70	1.1	28.9	1924
2	95	1.1	32.9	2578
2	120	1.3	37.7	3307
2	150	1.4	40.9	4005
2	185	1.6	45.3	4964
2	240	1.7	52.1	6503
2	300	1.8	58.3	8219
3	1.5	0.7	12	145
3	2.5	0.7	13	180
3	4	0.7	14	235
3	6	0.7	15	325
3	10	0.7	15.4	485
3	16	0.7	17.1	705
3	25	0.9	20.5	1080
3	35	0.9	22.8	1425
3	50	1	26.5	1840
3	70	1.1	30.1	2540
3	95	1.1	34.1	3430
3	120	1.3	39.1	4440
3	150	1.4	42.2	5380

No. Of Cores	Nominal Cross Sectional Area mm <sup>2</sup>	Nominal Thickness Of Insulation mm	Nominal Overall Diameter mm	Nominal Weight Kg/Km
3	185	1.6	46.7	6920
3	240	1.7	53.5	8420
3	300	1.8	62.7	10927
3	400	2	69.9	13709
3+Earth	16/10	0.7	18.5	779
3+Earth	25/16	0.9	22.1	1175
3+Earth	35/16	0.9	24.3	1480
3+Earth	50/25	1	28.2	2031
3+Earth	70/35	1.1	32.1	2813
3+Earth	95/50	1.1	36.4	3772
3+Earth	120/70	1.3	41.4	4858
3+Earth	150/70	1.4	44.2	5680
3+Earth	185/95	1.6	48.4	7082
3+Earth	240/120	1.7	56.5	9363
3+Earth	300/150	1.9	63.3	11939
4	1.5	0.7	12	170
4	2.5	0.7	13	215
4	4	0.7	14.5	290
4	6	0.7	16	390
4	10	0.7	18.5	600
4	16	0.7	21	870
4	25	0.9	25.5	1365
4	35	0.9	28.5	1875
4	50	1	31.1	2550
4	70	1.1	36.2	3010
4	95	1.1	40.6	3960
4	120	1.3	45.4	5160
4	150	1.4	49.5	6150
4	185	1.6	54.4	7780
4	240	1.7	61.5	9550
5	1.5	0.7	13	195
5	2.5	0.7	14.5	255
5	4	0.7	16	345
5	6	0.7	17.5	475
5	10	0.7	20	735
5	16	0.7	23	1070
5	25	0.9	25.6	1605
5	35	0.9	28.7	2139
5	50	1	33	2870
5	70	1.1	38.2	4054
5	95	1.1	43	5415
5	120	1.3	50	7039
5	150	1.4	53.2	8447

